



LIGHT MEDIUM DUTY

www.atlashandlinguk.co.uk

01527 501 148



INDUSTRIAL

SERIES: LWNY/GDNY DRNYHD

BRACKET: **PRESSED STEEL**
WHEEL: **NYLON**
BEARING: **PLAIN**

LIGHT / MEDIUM



| LWNY | | | | | | | | | |
|-----------------|-----|----|--|---------|--------|-----|----|-----|-----|
| SWIVEL | | | | | | | | | |
| 50LW4NY | 50 | 25 | | 66x47.5 | 54x24 | 6.3 | 26 | 65 | 60 |
| 63LW4NY | 63 | 28 | | 98x70 | 76x40 | 8.5 | 28 | 81 | 80 |
| 75LW4NY | 75 | 30 | | 104x80 | 86x60 | 8.5 | 26 | 96 | 110 |
| 100LW4NY | 100 | 32 | | 130x102 | 103x76 | 10 | 38 | 127 | 140 |
| 75GD4NY | 75 | 26 | | 104x80 | 86x60 | 8.5 | 25 | 95 | 140 |



| LWNY | | | | | | | | | |
|-----------------|-----|----|--|--------|--------|-----|--|-----|-----|
| FIXED | | | | | | | | | |
| 50LW8NY | 50 | 25 | | 66x45 | 54x24 | 6.3 | | 65 | 60 |
| 63LW8NY | 63 | 28 | | 98x55 | 82x25 | 8.5 | | 81 | 80 |
| 75LW8NY | 75 | 30 | | 102x64 | 83x35 | 8.5 | | 96 | 110 |
| 100LW8NY | 100 | 32 | | 130x69 | 110x38 | 10 | | 127 | 140 |
| 75GD8NY | 75 | 26 | | 102x64 | 83x35 | 8.5 | | 95 | 140 |



| GDNY | | | | | | | | | |
|------------------|----|----|--|--------|-------|-----|----|----|-----|
| BRAKED | | | | | | | | | |
| 75GD4NYBK | 75 | 26 | | 104x80 | 86x60 | 8.5 | 25 | 95 | 140 |

WIDE TREAD



| DRNYHD | | | | | | | | | |
|--------------------------|----|----|--|-------|-------|-----|----|----|----|
| WIDE TREAD SWIVEL | | | | | | | | | |
| 50DR4NYHD | 50 | 30 | | 60x60 | 43x43 | 6.2 | 26 | 72 | 80 |

WIDE TREAD



| DRNYHD | | | | | | | | | |
|--------------------------|----|----|--|-------|-------|-----|----|----|----|
| WIDE TREAD BRAKED | | | | | | | | | |
| 50DR4NYHDSWB | 50 | 30 | | 60x60 | 43x43 | 6.2 | 26 | 72 | 80 |

INDUSTRIAL

SERIES: DRPP

BRACKET: **PRESSED STEEL**
 WHEEL: **POLYPROPYLENE**
 BEARING: **ROLLER**



LIGHT / MEDIUM



DRPP SWIVEL

| 80DR4PPB | 80 | 35 | | 105x85 | 80x60 | 9 | 37.5 | 106 | 150 |
|------------------|-----|----|--|--------|-------|---|------|-----|-----|
| 100DR4PPB | 100 | 35 | | 105x85 | 80x60 | 9 | 40 | 128 | 180 |
| 125DR4PPB | 125 | 35 | | 105x85 | 80x60 | 9 | 47 | 152 | 220 |



DRPP FIXED

| 80DR8PPB | 80 | 35 | | 105x85 | 80x60 | 9 | | 106 | 150 |
|------------------|-----|----|--|--------|-------|---|--|-----|-----|
| 100DR8PPB | 100 | 35 | | 105x85 | 80x60 | 9 | | 128 | 180 |
| 125DR8PPB | 125 | 35 | | 105x85 | 80x60 | 9 | | 152 | 220 |



DRPP BRAKED

| 80DR4PPBSWB | 80 | 35 | | 105x85 | 80x60 | 9 | 37.5 | 106 | 150 |
|---------------------|-----|----|--|--------|-------|---|------|-----|-----|
| 100DR4PPBSWB | 100 | 35 | | 105x85 | 80x60 | 9 | 40 | 128 | 180 |
| 125DR4PPBSWB | 125 | 35 | | 105x85 | 80x60 | 9 | 47 | 152 | 220 |



DRPP BOLT HOLE

| 80DRBH12PPB | 80 | 35 | | | | | 12.1 | 37.5 | 106 |
|---------------------|-----|----|--|--|--|--|------|------|-----|
| 100DRBH12PPB | 100 | 35 | | | | | 12.1 | 40 | 128 |
| 125DRBH12PPB | 125 | 35 | | | | | 12.1 | 47 | 152 |



DRPP BOLT HOLE BRAKED

| 80DRBH12PPBSWB | 80 | 35 | | | | | 12.1 | 37.5 | 106 |
|------------------------|-----|----|--|--|--|--|------|------|-----|
| 100DRBH12PPBSWB | 100 | 35 | | | | | 12.1 | 40 | 128 |
| 125DRBH12PPBSWB | 125 | 35 | | | | | 12.1 | 47 | 152 |

EXPANDERS



INDUSTRIAL

SERIES: DRNY

BRACKET: **PRESSED STEEL**
WHEEL: **NYLON**
BEARING: **PLAIN**



LIGHT / MEDIUM



| DRNY SWIVEL | | | | | | | | | | |
|-----------------------|-----|----|--|---------|--------|----|------|-----|-----|-----|
| 80DR4NY | 80 | 35 | | 105x85 | 80x60 | 9 | 37.5 | 106 | 200 | 200 |
| 100DR4NY | 100 | 35 | | 105x85 | 80x60 | 9 | 40 | 128 | 200 | 200 |
| 125DR4NY | 125 | 35 | | 105x85 | 80x60 | 9 | 47 | 152 | 270 | 270 |
| ★ 125DR4NYLP | 125 | 35 | | 135x110 | 105x80 | 11 | 53 | 157 | 270 | 270 |
| 150DR4NY | 150 | 40 | | 135x105 | 105x80 | 11 | 65 | 185 | 350 | 350 |
| 160DR4NY | 160 | 45 | | 135x105 | 105x80 | 11 | 65 | 195 | 350 | 350 |
| 200DR4NY | 200 | 50 | | 135x105 | 105x80 | 11 | 68 | 237 | 350 | 350 |



| DRNY FIXED | | | | | | | | | | |
|----------------------|-----|----|--|---------|--------|----|--|-----|-----|-----|
| 80DR8NY | 80 | 35 | | 105x85 | 80x60 | 9 | | 106 | 200 | 200 |
| 100DR8NY | 100 | 35 | | 105x85 | 80x60 | 9 | | 128 | 200 | 200 |
| 125DR8NY | 125 | 35 | | 105x85 | 80x60 | 9 | | 152 | 270 | 270 |
| ★ 125DR8NYLP | 125 | 35 | | 135x110 | 105x80 | 11 | | 157 | 270 | 270 |
| 150DR8NY | 150 | 40 | | 135x105 | 105x80 | 11 | | 185 | 350 | 350 |
| 160DR8NY | 160 | 45 | | 135x105 | 105x80 | 11 | | 195 | 350 | 350 |
| 200DR8NY | 200 | 50 | | 135x105 | 105x80 | 11 | | 237 | 350 | 350 |



| DRNY BRAKED | | | | | | | | | | |
|-----------------------|-----|----|--|---------|--------|----|------|-----|-----|-----|
| 80DR4NYSWB | 80 | 35 | | 105x85 | 80x60 | 9 | 37.5 | 106 | 200 | 200 |
| 100DR4NYSWB | 100 | 35 | | 105x85 | 80x60 | 9 | 40 | 128 | 200 | 200 |
| 125DR4NYSWB | 125 | 35 | | 105x85 | 80x60 | 9 | 47 | 152 | 270 | 270 |
| ★ 125DR4NYSWBLP | 125 | 35 | | 135x110 | 105x80 | 11 | 53 | 157 | 270 | 270 |
| 150DR4NYSWB | 150 | 40 | | 135x105 | 105x80 | 11 | 65 | 185 | 350 | 350 |
| 160DR4NYSWB | 160 | 45 | | 135x105 | 105x80 | 11 | 65 | 195 | 350 | 350 |
| 200DR4NYSWB | 200 | 50 | | 135x105 | 105x80 | 11 | 68 | 237 | 350 | 350 |



| DRNY BOLT HOLE | | | | | | | | | | |
|--------------------------|-----|----|--|--|--|--|------|------|-----|-----|
| 80DRBH12NY | 80 | 35 | | | | | 12.1 | 37.5 | 106 | 200 |
| 100DRBH12NY | 100 | 35 | | | | | 12.1 | 40 | 128 | 200 |
| 125DRBH12NY | 125 | 35 | | | | | 12.1 | 47 | 152 | 270 |
| 150DRBH12NY | 150 | 40 | | | | | 12.1 | 65 | 185 | 350 |
| 160DRBH12NY | 160 | 45 | | | | | 12.1 | 65 | 195 | 350 |
| 200DRBH12NY | 200 | 50 | | | | | 12.1 | 68 | 237 | 350 |



| DRNY BOLT HOLE BRAKED | | | | | | | | | | |
|------------------------------------|-----|----|--|--|--|--|------|------|-----|-----|
| 80DRBH12NYSWB | 80 | 35 | | | | | 12.1 | 37.5 | 106 | 200 |
| 100DRBH12NYSWB | 100 | 35 | | | | | 12.1 | 40 | 128 | 200 |
| 125DRBH12NYSWB | 125 | 35 | | | | | 12.1 | 47 | 152 | 270 |
| 150DRBH12NYSWB | 150 | 40 | | | | | 12.1 | 65 | 185 | 350 |
| 160DRBH12NYSWB | 160 | 45 | | | | | 12.1 | 65 | 195 | 350 |
| 200DRBH12NYSWB | 200 | 50 | | | | | 12.1 | 68 | 237 | 350 |



★ LARGE PLATE OPTION AVAILABLE

INDUSTRIAL

SERIES: DRPS

BRACKET: **PRESSED STEEL**
 WHEEL: **RUBBER**
 ON **PLASTIC CENTRE**
 BEARING: **ROLLER**



LIGHT / MEDIUM



| DRPS | | | | | | | | | | |
|---------------|-----|----|--|---------|--------|----|------|-----|-----|-----------|
| SWIVEL | | | | | | | | | | KG |
| 80DR4PSB | 80 | 30 | | 105x85 | 80x60 | 9 | 37.5 | 106 | 65 | |
| 100DR4PSB | 100 | 32 | | 105x85 | 80x60 | 9 | 40 | 128 | 80 | |
| 125DR4PSB | 125 | 37 | | 105x85 | 80x60 | 9 | 47 | 152 | 100 | |
| ★ 125DR4PSBLP | 125 | 37 | | 135x110 | 105x80 | 11 | 53 | 157 | 100 | |
| 160DR4PSB | 160 | 40 | | 135x105 | 105x80 | 11 | 65 | 195 | 175 | |
| 200DR4PSB | 200 | 50 | | 135x105 | 105x80 | 11 | 68 | 237 | 205 | |



| DRPS | | | | | | | | | |
|---------------|-----|----|--|---------|--------|----|--|-----|-----------|
| FIXED | | | | | | | | | KG |
| 80DR8PSB | 80 | 30 | | 105x85 | 80x60 | 9 | | 106 | 65 |
| 100DR8PSB | 100 | 32 | | 105x85 | 80x60 | 9 | | 128 | 80 |
| 125DR8PSB | 125 | 37 | | 105x85 | 80x60 | 9 | | 152 | 100 |
| ★ 125DR8PSBLP | 125 | 37 | | 135x110 | 105x80 | 11 | | 157 | 100 |
| 160DR8PSB | 160 | 40 | | 135x105 | 105x80 | 11 | | 195 | 175 |
| 200DR8PSB | 200 | 50 | | 135x105 | 105x80 | 11 | | 237 | 205 |



| DRPS | | | | | | | | | |
|------------------|-----|----|--|---------|--------|----|------|-----|-----------|
| BRAKED | | | | | | | | | KG |
| 80DR4PSBSWB | 80 | 30 | | 105x85 | 80x60 | 9 | 37.5 | 106 | 65 |
| 100DR4PSBSWB | 100 | 32 | | 105x85 | 80x60 | 9 | 40 | 128 | 80 |
| 125DR4PSBSWB | 125 | 37 | | 105x85 | 80x60 | 9 | 47 | 152 | 100 |
| ★ 125DR4PSBSWBLP | 125 | 37 | | 135x110 | 105x80 | 11 | 53 | 157 | 100 |
| 160DR4PSBSWB | 160 | 40 | | 135x105 | 105x80 | 11 | 65 | 195 | 175 |
| 200DR4PSBSWB | 200 | 50 | | 135x105 | 105x80 | 11 | 68 | 237 | 205 |



| DRPS | | | | | | | | | | |
|------------------|-----|----|--|--|--|--|------|------|-----------|-----|
| BOLT HOLE | | | | | | | | | KG | |
| 80DRBH12PSB | 80 | 30 | | | | | 12.1 | 37.5 | 106 | 65 |
| 100DRBH12PSB | 100 | 32 | | | | | 12.1 | 40 | 128 | 80 |
| 125DRBH12PSB | 125 | 37 | | | | | 12.1 | 47 | 152 | 100 |
| 160DRBH12PSB | 160 | 40 | | | | | 12.1 | 65 | 195 | 175 |
| 200DRBH12PSB | 200 | 50 | | | | | 12.1 | 68 | 237 | 205 |



| DRPS | | | | | | | | | | |
|-------------------------|-----|----|--|--|--|--|------|------|-----------|-----|
| BOLT HOLE BRAKED | | | | | | | | | KG | |
| 80DRBH12PSBSWB | 80 | 30 | | | | | 12.1 | 37.5 | 106 | 65 |
| 100DRBH12PSBSWB | 100 | 32 | | | | | 12.1 | 40 | 128 | 80 |
| 125DRBH12PSBSWB | 125 | 37 | | | | | 12.1 | 47 | 152 | 100 |
| 160DRBH12PSBSWB | 160 | 40 | | | | | 12.1 | 65 | 195 | 175 |
| 200DRBH12PSBSWB | 200 | 50 | | | | | 12.1 | 68 | 237 | 205 |

BLACK WHEEL AVAILABLE



★ LARGE PLATE OPTION AVAILABLE



INDUSTRIAL

SERIES: DRBS

BRACKET: **PRESSED STEEL**
 WHEEL: **RUBBER**
 ON **STEEL DISK CENTRE**
 BEARING: **ROLLER**

LIGHT / MEDIUM



| DRBS | SWIVEL | | | | | | | | | |
|----------------------|---------------|----|--|---------|--------|----|------|-----|-----|--|
| 80DR4BSB | 80 | 30 | | 105x85 | 80x60 | 9 | 37.5 | 106 | 65 | |
| 100DR4BSB | 100 | 32 | | 105x85 | 80x60 | 9 | 40 | 128 | 80 | |
| 125DR4BSB | 125 | 37 | | 105x85 | 80x60 | 9 | 47 | 152 | 100 | |
| ★ 125DR4BSBLP | 125 | 37 | | 135x110 | 105x80 | 11 | 53 | 157 | 100 | |
| 160DR4BSB | 160 | 40 | | 135x105 | 105x80 | 11 | 65 | 195 | 175 | |
| 200DR4BSB | 200 | 50 | | 135x105 | 105x80 | 11 | 68 | 237 | 205 | |



| DRBS | FIXED | | | | | | | | |
|----------------------|--------------|----|--|---------|--------|----|--|-----|-----|
| 80DR8BSB | 80 | 30 | | 105x85 | 80x60 | 9 | | 106 | 65 |
| 100DR8BSB | 100 | 32 | | 105x85 | 80x60 | 9 | | 128 | 80 |
| 125DR8BSB | 125 | 37 | | 105x85 | 80x60 | 9 | | 152 | 100 |
| ★ 125DR8BSBLP | 125 | 37 | | 135x110 | 105x80 | 11 | | 157 | 100 |
| 160DR8BSB | 160 | 40 | | 135x105 | 105x80 | 11 | | 195 | 175 |
| 200DR8BSB | 200 | 50 | | 135x105 | 105x80 | 11 | | 237 | 205 |



| DRBS | BRAKED | | | | | | | | |
|-------------------------|---------------|----|--|---------|--------|----|------|-----|-----|
| 80DR4BSBSWB | 80 | 30 | | 105x85 | 80x60 | 9 | 37.5 | 106 | 65 |
| 100DR4BSBSWB | 100 | 32 | | 105x85 | 80x60 | 9 | 40 | 128 | 80 |
| 125DR4BSBSWB | 125 | 37 | | 105x85 | 80x60 | 9 | 47 | 152 | 100 |
| ★ 125DR4BSBSWBLP | 125 | 37 | | 135x110 | 105x80 | 11 | 53 | 157 | 100 |
| 160DR4BSBSWB | 160 | 40 | | 135x105 | 105x80 | 11 | 65 | 195 | 175 |
| 200DR4BSBSWB | 200 | 50 | | 135x105 | 105x80 | 11 | 68 | 237 | 205 |



| DRBS | BOLT HOLE | | | | | | | | |
|---------------------|------------------|----|--|--|--|--|------|------|-----|
| 80DRBH12BSB | 80 | 30 | | | | | 12.1 | 37.5 | 65 |
| 100DRBH12BSB | 100 | 32 | | | | | 12.1 | 40 | 80 |
| 125DRBH12BSB | 125 | 37 | | | | | 12.1 | 47 | 100 |
| 160DRBH12BSB | 160 | 40 | | | | | 12.1 | 65 | 175 |
| 200DRBH12BSB | 200 | 50 | | | | | 12.1 | 68 | 205 |



| DRBS | BOLT HOLE BRAKED | | | | | | | | |
|------------------------|-------------------------|----|--|--|--|--|------|------|-----|
| 80DRBH12BSBSWB | 80 | 30 | | | | | 12.1 | 37.5 | 65 |
| 100DRBH12BSBSWB | 100 | 32 | | | | | 12.1 | 40 | 80 |
| 125DRBH12BSBSWB | 125 | 37 | | | | | 12.1 | 47 | 100 |
| 160DRBH12BSBSWB | 160 | 40 | | | | | 12.1 | 65 | 175 |
| 200DRBH12BSBSWB | 200 | 50 | | | | | 12.1 | 68 | 205 |

⚡ *Anti Static. Available on request. 160mm and 200mm ONLY.

EXPANDERS




★ LARGE PLATE OPTION AVAILABLE

INDUSTRIAL

SERIES: DRGR

BRACKET: **PRESSED STEEL**
 WHEEL: **GREY NON-MARKING
 RUBBER ON PLASTIC CENTRE**
 BEARING: **ROLLER**



LIGHT / MEDIUM



| DRGR | | | | | | | | | | |
|---------------|-----|----|--|--|---------|--------|----|------|-----|-----------|
| SWIVEL | | | | | | | | | | KG |
| 80DR4GRB | 80 | 30 | | | 105x85 | 80x60 | 9 | 37.5 | 106 | 65 |
| 100DR4GRB | 100 | 32 | | | 105x85 | 80x60 | 9 | 40 | 128 | 75 |
| 125DR4GRB | 125 | 37 | | | 105x85 | 80x60 | 9 | 47 | 152 | 100 |
| ★ 125DR4GRBLP | 125 | 37 | | | 135x110 | 105x80 | 11 | 53 | 157 | 100 |
| 160DR4GRB | 160 | 40 | | | 135x105 | 105x80 | 11 | 65 | 195 | 175 |
| 200DR4GRB | 200 | 50 | | | 135x105 | 105x80 | 11 | 68 | 237 | 205 |



| DRGR | | | | | | | | | | |
|---------------|-----|----|--|--|---------|--------|----|--|-----|-----------|
| FIXED | | | | | | | | | | KG |
| 80DR8GRB | 80 | 30 | | | 105x85 | 80x60 | 9 | | 106 | 65 |
| 100DR8GRB | 100 | 32 | | | 105x85 | 80x60 | 9 | | 128 | 75 |
| 125DR8GRB | 125 | 37 | | | 105x85 | 80x60 | 9 | | 152 | 100 |
| ★ 125DR8GRBLP | 125 | 37 | | | 135x110 | 105x80 | 11 | | 157 | 100 |
| 160DR8GRB | 160 | 40 | | | 135x105 | 105x80 | 11 | | 195 | 175 |
| 200DR8GRB | 200 | 50 | | | 135x105 | 105x80 | 11 | | 237 | 205 |



| DRGR | | | | | | | | | | |
|------------------|-----|----|--|--|---------|--------|----|------|-----|-----------|
| BRAKED | | | | | | | | | | KG |
| 80DR4GRBSWB | 80 | 30 | | | 105x85 | 80x60 | 9 | 37.5 | 106 | 65 |
| 100DR4GRBSWB | 100 | 32 | | | 105x85 | 80x60 | 9 | 40 | 128 | 75 |
| 125DR4GRBSWB | 125 | 37 | | | 105x85 | 80x60 | 9 | 47 | 152 | 100 |
| ★ 125DR4GRBSWBLP | 125 | 37 | | | 135x110 | 105x80 | 11 | 37 | 157 | 100 |
| 160DR4GRBSWB | 160 | 40 | | | 135x105 | 105x80 | 11 | 65 | 195 | 175 |
| 200DR4GRBSWB | 200 | 50 | | | 135x105 | 105x80 | 11 | 68 | 237 | 205 |



| DRGR | | | | | | | | | | |
|------------------|-----|----|--|--|--|--|--|------|------|-----------|
| BOLT HOLE | | | | | | | | | | KG |
| 80DRBH12GRB | 80 | 30 | | | | | | 12.1 | 37.5 | 106 |
| 100DRBH12GRB | 100 | 32 | | | | | | 12.1 | 40 | 128 |
| 125DRBH12GRB | 125 | 37 | | | | | | 12.1 | 47 | 152 |
| 160DRBH12GRB | 160 | 40 | | | | | | 12.1 | 65 | 195 |
| 200DRBH12GRB | 200 | 50 | | | | | | 12.1 | 68 | 237 |



| DRGR | | | | | | | | | | |
|-----------------------------|-----|----|--|--|--|--|--|------|------|-----------|
| BOLT HOLE BRAKED | | | | | | | | | | KG |
| 80DRBH12GRBSWB | 80 | 30 | | | | | | 12.1 | 37.5 | 106 |
| 100DRBH12GRBSWB | 100 | 32 | | | | | | 12.1 | 40 | 128 |
| 125DRBH12GRBSWB | 125 | 37 | | | | | | 12.1 | 47 | 152 |
| 160DRBH12GRBSWB | 160 | 40 | | | | | | 12.1 | 65 | 195 |
| 200DRBH12GRBSWB | 200 | 50 | | | | | | 12.1 | 68 | 237 |

EXPANDERS



★ LARGE PLATE OPTION AVAILABLE

INDUSTRIAL

SERIES: DRTPR

BRACKET: PRESSED STEEL
WHEEL: SYNTHETIC NON-MARKING
GREY RUBBER ON PLASTIC CENTRE
BEARING: PLAIN



LIGHT / MEDIUM



| DRTPR | | | | | | | | | | |
|------------------------|-----|----|--|---------|--------|----|------|-----|-----|--|
| SWIVEL | | | | | | | | | | |
| 80DR4TPR | 80 | 32 | | 105x85 | 80x60 | 9 | 37.5 | 106 | 60 | |
| 100DR4TPR | 100 | 32 | | 105x85 | 80x60 | 9 | 40 | 128 | 80 | |
| 125DR4TPR | 125 | 32 | | 105x85 | 80x60 | 9 | 47 | 152 | 100 | |
| 160DR4TPRBIGBOX | 160 | 38 | | 135x105 | 105x80 | 11 | 65 | 195 | 140 | |
| 200DR4TPRBIGBOX | 200 | 42 | | 135x105 | 105x80 | 11 | 68 | 237 | 200 | |



| DRTPR | | | | | | | | | |
|------------------------|-----|----|--|---------|--------|----|--|-----|-----|
| FIXED | | | | | | | | | |
| 80DR8TPR | 80 | 32 | | 105x85 | 80x60 | 9 | | 106 | 60 |
| 100DR8TPR | 100 | 32 | | 105x85 | 80x60 | 9 | | 128 | 80 |
| 125DR8TPR | 125 | 32 | | 105x85 | 80x60 | 9 | | 152 | 100 |
| 160DR8TPRBIGBOX | 160 | 38 | | 135x105 | 105x80 | 11 | | 195 | 140 |
| 200DR8TPRBIGBOX | 200 | 42 | | 135x105 | 105x80 | 11 | | 237 | 200 |



| DRTPR | | | | | | | | | |
|---------------------------|-----|----|--|---------|--------|----|------|-----|-----|
| BRAKED | | | | | | | | | |
| 80DR4TPRSWB | 80 | 32 | | 105x85 | 80x60 | 9 | 37.5 | 106 | 60 |
| 100DR4TPRSWB | 100 | 32 | | 105x85 | 80x60 | 9 | 40 | 128 | 80 |
| 125DR4TPRSWB | 125 | 32 | | 105x85 | 80x60 | 9 | 47 | 152 | 100 |
| 160DR4TPRBIGSWBBOX | 160 | 38 | | 135x105 | 105x80 | 11 | 65 | 195 | 140 |
| 200DR4TPRBIGSWBBOX | 200 | 42 | | 135x105 | 105x80 | 11 | 68 | 237 | 200 |



| DRTPR | | | | | | | | | |
|---------------------------|-----|----|--|--|--|------|------|-----|-----|
| BOLT HOLE | | | | | | | | | |
| 80DRBH12TPR | 80 | 32 | | | | 12.1 | 37.5 | 106 | 60 |
| 100DRBH12TPR | 100 | 32 | | | | 12.1 | 40 | 128 | 80 |
| 125DRBH12TPR | 125 | 32 | | | | 12.1 | 47 | 152 | 100 |
| 160DRBH12TPRBIGBOX | 160 | 38 | | | | 12.1 | 65 | 195 | 140 |
| 200DRBH12TPRBIGBOX | 200 | 42 | | | | 12.1 | 68 | 237 | 200 |



| DRTPR | | | | | | | | | |
|------------------------------|-----|----|--|--|--|------|------|-----|-----|
| BOLT HOLE BRAKED | | | | | | | | | |
| 80DRBH12TPRSWB | 80 | 32 | | | | 12.1 | 37.5 | 106 | 60 |
| 100DRBH12TPRSWB | 100 | 32 | | | | 12.1 | 40 | 128 | 80 |
| 125DRBH12TPRSWB | 125 | 32 | | | | 12.1 | 47 | 152 | 100 |
| 160DRBH12TPRBIGSWBBOX | 160 | 38 | | | | 12.1 | 65 | 195 | 140 |
| 200DRBH12TPRBIGSWBBOX | 200 | 42 | | | | 12.1 | 68 | 237 | 200 |

*Anti Static. Available on request. 100mm and 125mm ONLY.

EXPANDERS



INDUSTRIAL

SERIES: DRBN

BRACKET: **PRESSED STEEL**
 WHEEL: **ELASTIC NON-MARKING
 RUBBER ON NYLON CENTRE**
 BEARING: **ROLLER/BALL BEARING**



LIGHT / MEDIUM



DRBN SWIVEL

| 80DR4BNB | 80 | 34 | | | 105x85 | 80x60 | 9 | 37.5 | 106 | 150 |
|---------------|-----|----|--|--|---------|--------|----|------|-----|-----|
| 100DR4BNB | 100 | 34 | | | 105x85 | 80x60 | 9 | 40 | 128 | 180 |
| 125DR4BNB | 125 | 36 | | | 105x85 | 80x60 | 9 | 47 | 152 | 250 |
| ★ 125DR4BNBLP | 125 | 36 | | | 135x110 | 105x80 | 11 | 53 | 157 | 250 |
| 160DR4BNB | 160 | 45 | | | 135x105 | 105x80 | 11 | 65 | 195 | 350 |
| 200DR4BNB | 200 | 45 | | | 135x105 | 105x80 | 11 | 68 | 237 | 350 |



DRBN FIXED

| 80DR8BNB | 80 | 34 | | | 105x85 | 80x60 | 9 | | 106 | 150 |
|---------------|-----|----|--|--|---------|--------|----|--|-----|-----|
| 100DR8BNB | 100 | 34 | | | 105x85 | 80x60 | 9 | | 128 | 180 |
| 125DR8BNB | 125 | 36 | | | 105x85 | 80x60 | 9 | | 152 | 250 |
| ★ 125DR8BNBLP | 125 | 36 | | | 135x110 | 105x80 | 11 | | 157 | 250 |
| 160DR8BNB | 160 | 45 | | | 135x105 | 105x80 | 11 | | 195 | 350 |
| 200DR8BNB | 200 | 45 | | | 135x105 | 105x80 | 11 | | 237 | 350 |



DRBN BRAKED

| 80DR4BNBSWB | 80 | 34 | | | 105x85 | 80x60 | 9 | 37.5 | 106 | 150 |
|------------------|-----|----|--|--|---------|--------|----|------|-----|-----|
| 100DR4BNBSWB | 100 | 34 | | | 105x85 | 80x60 | 9 | 40 | 128 | 180 |
| 125DR4BNBSWB | 125 | 36 | | | 105x85 | 80x60 | 9 | 47 | 152 | 250 |
| ★ 125DR4BNBSWBLP | 125 | 36 | | | 135x110 | 105x80 | 11 | 53 | 157 | 250 |
| 160DR4BNBSWB | 160 | 45 | | | 135x105 | 105x80 | 11 | 65 | 195 | 350 |
| 200DR4BNBSWB | 200 | 45 | | | 135x105 | 105x80 | 11 | 68 | 237 | 350 |



DRBN BOLT HOLE

| 80DRBH12BNB | 80 | 34 | | | | | 12.1 | 37.5 | 106 | 150 |
|--------------|-----|----|--|--|--|--|------|------|-----|-----|
| 100DRBH12BNB | 100 | 34 | | | | | 12.1 | 40 | 128 | 180 |
| 125DRBH12BNB | 125 | 36 | | | | | 12.1 | 47 | 152 | 250 |
| 160DRBH12BNB | 160 | 45 | | | | | 12.1 | 65 | 195 | 350 |
| 200DRBH12BNB | 200 | 45 | | | | | 12.1 | 68 | 237 | 350 |



DRBN BOLT HOLE BRAKED

| 80DRBH12BNBSWB | 80 | 34 | | | | | 12.1 | 37.5 | 106 | 150 |
|-----------------|-----|----|--|--|--|--|------|------|-----|-----|
| 100DRBH12BNBSWB | 100 | 34 | | | | | 12.1 | 40 | 128 | 180 |
| 125DRBH12BNBSWB | 125 | 36 | | | | | 12.1 | 47 | 152 | 250 |
| 160DRBH12BNBSWB | 160 | 45 | | | | | 12.1 | 65 | 195 | 350 |
| 200DRBH12BNBSWB | 200 | 45 | | | | | 12.1 | 68 | 237 | 350 |

BNBJ WHEEL OPTION - CAN BE PROVIDED IN CERTAIN SIZES



★ LARGE PLATE OPTION AVAILABLE

INDUSTRIAL

SERIES: DREA

BRACKET: **PRESSED STEEL**
 WHEEL: **ELASTIC RUBBER**
 ON **ALUMINIUM CENTRE**
 BEARING: **BALL BEARING**



LIGHT / MEDIUM



| DREA | | | | | | | | | | |
|----------------|-----|----|--|---------|--------|----|------|-----|-----|--|
| SWIVEL | | | | | | | | | | |
| 80DR4EABJ | 80 | 36 | | 105x85 | 80x60 | 9 | 37.5 | 106 | 100 | |
| 100DR4EABJ | 100 | 40 | | 105x85 | 80x60 | 9 | 40 | 128 | 180 | |
| 125DR4EABJ | 125 | 38 | | 105x85 | 80x60 | 9 | 47 | 152 | 200 | |
| ★ 125DR4EABJLP | 125 | 38 | | 135x110 | 105x80 | 11 | 53 | 157 | 200 | |
| 150DR4EABJ | 150 | 50 | | 135x105 | 105x80 | 11 | 65 | 185 | 300 | |
| 160DR4EABJ | 160 | 50 | | 135x105 | 105x80 | 11 | 65 | 195 | 350 | |
| 200DR4EABJ | 200 | 50 | | 135x105 | 105x80 | 11 | 68 | 237 | 350 | |



| DREA | | | | | | | | | |
|----------------|-----|----|--|---------|--------|----|--|-----|-----|
| FIXED | | | | | | | | | |
| 80DR8EABJ | 80 | 36 | | 105x85 | 80x60 | 9 | | 106 | 100 |
| 100DR8EABJ | 100 | 40 | | 105x85 | 80x60 | 9 | | 128 | 180 |
| 125DR8EABJ | 125 | 38 | | 105x85 | 80x60 | 9 | | 152 | 200 |
| ★ 125DR8EABJLP | 125 | 38 | | 135x110 | 105x80 | 11 | | 157 | 200 |
| 150DR8EABJ | 150 | 50 | | 135x105 | 105x80 | 11 | | 185 | 300 |
| 160DR8EABJ | 160 | 50 | | 135x105 | 105x80 | 11 | | 195 | 350 |
| 200DR8EABJ | 200 | 50 | | 135x105 | 105x80 | 11 | | 237 | 350 |



| DREA | | | | | | | | | |
|-------------------|-----|----|--|---------|--------|----|------|-----|-----|
| BRAKED | | | | | | | | | |
| 80DR4EABJSWB | 80 | 36 | | 105x85 | 80x60 | 9 | 37.5 | 106 | 100 |
| 100DR4EABJSWB | 100 | 40 | | 105x85 | 80x60 | 9 | 40 | 128 | 180 |
| 125DR4EABJSWB | 125 | 38 | | 105x85 | 80x60 | 9 | 47 | 152 | 200 |
| ★ 125DR4EABJSWBLP | 125 | 38 | | 135x110 | 105x80 | 11 | 53 | 157 | 200 |
| 150DR4EABJSWB | 150 | 50 | | 135x105 | 105x80 | 11 | 65 | 185 | 300 |
| 160DR4EABJSWB | 160 | 50 | | 135x105 | 105x80 | 11 | 65 | 195 | 350 |
| 200DR4EABJSWB | 200 | 50 | | 135x105 | 105x80 | 11 | 68 | 237 | 350 |



| DREA | | | | | | | | | |
|------------------|-----|----|--|--|--|------|------|-----|-----|
| BOLT HOLE | | | | | | | | | |
| 80DRBH12EABJ | 80 | 36 | | | | 12.1 | 37.5 | 106 | 100 |
| 100DRBH12EABJ | 100 | 40 | | | | 12.1 | 40 | 128 | 180 |
| 125DRBH12EABJ | 125 | 38 | | | | 12.1 | 47 | 152 | 200 |
| 150DRBH12EABJ | 150 | 50 | | | | 12.1 | 65 | 185 | 300 |
| 160DRBH12EABJ | 160 | 50 | | | | 12.1 | 65 | 195 | 350 |
| 200DRBH12EABJ | 200 | 50 | | | | 12.1 | 68 | 237 | 350 |



| DREA | | | | | | | | | |
|-------------------------|-----|----|--|--|--|------|------|-----|-----|
| BOLT HOLE BRAKED | | | | | | | | | |
| 80DRBH12EABJSWB | 80 | 36 | | | | 12.1 | 37.5 | 106 | 100 |
| 100DRBH12EABJSWB | 100 | 40 | | | | 12.1 | 40 | 128 | 180 |
| 125DRBH12EABJSWB | 125 | 38 | | | | 12.1 | 47 | 152 | 200 |
| 150DRBH12EABJSWB | 150 | 50 | | | | 12.1 | 65 | 185 | 300 |
| 160DRBH12EABJSWB | 160 | 50 | | | | 12.1 | 65 | 195 | 350 |
| 200DRBH12EABJSWB | 200 | 50 | | | | 12.1 | 68 | 237 | 350 |



★ LARGE PLATE OPTION AVAILABLE

INDUSTRIAL

SERIES: DRRT

BRACKET: **PRESSED STEEL**
 WHEEL: **ELASTIC RUBBER ON**
CAST IRON CENTRE
 BEARING: **BALL BEARING**



LIGHT / MEDIUM



| DRRT SWIVEL | | | | | | | | | |
|-----------------------|-----|----|--|---------|--------|----|----|-----|-----|
| ★ 125DR4RTBJLP | 125 | 38 | | 135x110 | 105x80 | 11 | 53 | 157 | 190 |
| 150DR4RTBJ | 150 | 50 | | 135x105 | 105x80 | 11 | 65 | 185 | 350 |
| 200DR4RTBJ | 200 | 50 | | 135x105 | 105x80 | 11 | 68 | 237 | 350 |



| DRRT FIXED | | | | | | | | | |
|----------------------|-----|----|--|---------|--------|----|--|-----|-----|
| ★ 125DR8RTBJP | 125 | 38 | | 135x110 | 105x80 | 11 | | 157 | 190 |
| 150DR8RTBJ | 150 | 50 | | 135x105 | 105x80 | 11 | | 185 | 350 |
| 200DR8RTBJ | 200 | 50 | | 135x105 | 105x80 | 11 | | 237 | 350 |



| DRRT BRAKED | | | | | | | | | |
|-----------------------|-----|----|--|---------|--------|----|----|-----|-----|
| ★ 125DR4RTBJSWBLP | 125 | 38 | | 135x110 | 105x80 | 11 | 53 | 157 | 190 |
| 150DR4RTBJSWB | 150 | 50 | | 135x105 | 105x80 | 11 | 65 | 185 | 350 |
| 200DR4RTBJSWB | 200 | 50 | | 135x105 | 105x80 | 11 | 68 | 237 | 350 |



| DRRT BOLT HOLE | | | | | | | | | |
|--------------------------|-----|----|--|--|--|--|------|----|-----|
| 150DRBH12RTBJ | 150 | 50 | | | | | 12.1 | 65 | 185 |
| 200DRBH12RTBJ | 200 | 50 | | | | | 12.1 | 68 | 237 |
| | | | | | | | | | 350 |



| DRRT BOLT HOLE BRAKED | | | | | | | | | |
|------------------------------------|-----|----|--|--|--|--|------|----|-----|
| 150DRBH12RTBJSWB | 150 | 50 | | | | | 12.1 | 65 | 185 |
| 200DRBH12RTBJSWB | 200 | 50 | | | | | 12.1 | 68 | 237 |
| | | | | | | | | | 350 |

EXPANDERS



★ LARGE PLATE OPTION AVAILABLE



INDUSTRIAL

SERIES: DRCI

BRACKET: **PRESSED STEEL**
 WHEEL: **CAST IRON**
 BEARING: **ROLLER / BALL BEARING**

LIGHT / MEDIUM



| DRCI SWIVEL | | | | | | | | | | |
|------------------------------|-----|----|--|---------|--------|----|----|-----|-----|--|
| 100DR4CIB | 100 | 38 | | 105x85 | 80x60 | 9 | 40 | 128 | 220 | |
| 125DR4CIBJ | 125 | 35 | | 105x85 | 80x60 | 9 | 47 | 152 | 270 | |
| ★ 125DR4CIBJLP | 125 | 35 | | 135x110 | 105x80 | 11 | 53 | 157 | 400 | |
| 150DR4CIBJ | 150 | 45 | | 135x105 | 105x80 | 11 | 65 | 185 | 350 | |
| 200DR4CIBJ | 200 | 45 | | 135x105 | 105x80 | 11 | 68 | 237 | 350 | |



| DRCI FIXED | | | | | | | | | |
|-----------------------------|-----|----|--|---------|--------|----|--|-----|-----|
| 100DR8CIB | 100 | 38 | | 105x85 | 80x60 | 9 | | 128 | 220 |
| 125DR8CIBJ | 125 | 35 | | 105x85 | 80x60 | 9 | | 152 | 270 |
| ★ 125DR8CIBJLP | 125 | 35 | | 135x110 | 105x80 | 11 | | 157 | 400 |
| 150DR8CIBJ | 150 | 45 | | 135x105 | 105x80 | 11 | | 185 | 350 |
| 200DR8CIBJ | 200 | 45 | | 135x105 | 105x80 | 11 | | 237 | 350 |



| DRCI BRAKED | | | | | | | | | |
|------------------------------|-----|----|--|---------|--------|----|----|-----|-----|
| 100DR4CIBSWB | 100 | 38 | | 105x85 | 80x60 | 9 | 40 | 128 | 220 |
| 125DR4CIBJSWB | 125 | 35 | | 105x85 | 80x60 | 9 | 47 | 152 | 270 |
| ★ 125DR4CIBJSWBLP | 125 | 35 | | 135x110 | 105x80 | 11 | 53 | 157 | 400 |
| 150DR4CIBJSWB | 150 | 45 | | 135x105 | 105x80 | 11 | 65 | 185 | 350 |
| 200DR4CIBJSWB | 200 | 45 | | 135x105 | 105x80 | 11 | 68 | 237 | 350 |



| DRCI BOLT HOLE | | | | | | | | | |
|---------------------------------|-----|----|--|--|--|------|----|-----|-----|
| 100DRBH12CIB | 100 | 38 | | | | 12.1 | 40 | 128 | 220 |
| 125DRBH12CIBJ | 125 | 35 | | | | 12.1 | 47 | 152 | 270 |
| 150DRBH12CIBJ | 150 | 45 | | | | 12.1 | 65 | 185 | 350 |
| 200DRBH12CIBJ | 200 | 45 | | | | 12.1 | 68 | 237 | 350 |



| DRCI BOLT HOLE BRAKED | | | | | | | | | |
|--|-----|----|--|--|--|------|----|-----|-----|
| 100DRBH12CIBSWB | 100 | 38 | | | | 12.1 | 40 | 128 | 220 |
| 125DRBH12CIBJSWB | 125 | 35 | | | | 12.1 | 47 | 152 | 270 |
| 150DRBH12CIBJSWB | 150 | 45 | | | | 12.1 | 65 | 185 | 350 |
| 200DRBH12CIBJSWB | 200 | 45 | | | | 12.1 | 68 | 237 | 350 |

EXPANDERS



★ LARGE PLATE OPTION AVAILABLE

INDUSTRIAL

SERIES: LVHT/G/BJG

BRACKET: **PRESSED STEEL**
 WHEEL: **HIGH TEMPERATURE RESISTANT**
 WHEELS 220 °C, 260 °C OR 280 °C
 BEARING: **PLAIN / BALL BEARING**



LIGHT / MEDIUM



| LVHT/G SWIVEL | | | | | | | | | | |
|------------------|-----|----|--|--|--------|-------|---|----|-----|-----|
| 100LV4HT 220 | 100 | 38 | | | 105x85 | 80x60 | 9 | 40 | 128 | 150 |
| 100LV4HTG 280 | 100 | 38 | | | 105x85 | 80x60 | 9 | 40 | 128 | 200 |



| LVHT/G FIXED | | | | | | | | | | |
|-----------------|-----|----|--|--|--------|-------|---|--|-----|-----|
| 100LV8HT 220 | 100 | 38 | | | 105x85 | 80x60 | 9 | | 128 | 150 |
| 100LV8HTG 280 | 100 | 38 | | | 105x85 | 80x60 | 9 | | 128 | 200 |



| LVHT/G BOLT HOLE | | | | | | | | | | |
|---------------------|-----|----|--|--|--|--|------|----|-----|-----|
| 100LVBH12HT 220 | 100 | 38 | | | | | 12.1 | 40 | 128 | 150 |
| 100LVBH12HTG 280 | 100 | 38 | | | | | 12.1 | 40 | 128 | 200 |



| LVHTBJG SWIVEL | | | | | | | | | | |
|-------------------|-----|----|--|--|--------|-------|---|----|-----|-----|
| 80LV4HT 260 | 80 | 30 | | | 105x85 | 80x60 | 9 | 40 | 106 | 200 |
| 80LV4HTBJG 260 | 80 | 30 | | | 105x85 | 80x60 | 9 | 40 | 106 | 200 |
| 100LV4HT 260 | 100 | 32 | | | 105x85 | 80x60 | 9 | 40 | 128 | 220 |
| 100LV4HTBJG 260 | 100 | 32 | | | 105x85 | 80x60 | 9 | 40 | 128 | 220 |
| 125LV4HT 260 | 125 | 40 | | | 105x85 | 80x60 | 9 | 40 | 155 | 250 |
| 125LV4HTBJG 260 | 125 | 40 | | | 105x85 | 80x60 | 9 | 40 | 155 | 250 |



| LVHTBJG FIXED | | | | | | | | | | |
|------------------|-----|----|--|--|--------|-------|---|--|-----|-----|
| 80LV8HT 260 | 80 | 30 | | | 105x85 | 80x60 | 9 | | 106 | 200 |
| 80LV8HTBJG 260 | 80 | 30 | | | 105x85 | 80x60 | 9 | | 106 | 200 |
| 100LV8HT 260 | 100 | 32 | | | 105x85 | 80x60 | 9 | | 128 | 220 |
| 100LV8HTBJG 260 | 100 | 32 | | | 105x85 | 80x60 | 9 | | 128 | 220 |
| 125LV8HT 260 | 125 | 40 | | | 105x85 | 80x60 | 9 | | 155 | 250 |
| 125LV8HTBJG 260 | 125 | 40 | | | 105x85 | 80x60 | 9 | | 155 | 250 |



| LVHTBJG BOLT HOLE | | | | | | | | | | |
|----------------------|-----|----|--|--|--|--|------|----|-----|-----|
| 80LVBH12HT 260 | 80 | 30 | | | | | 12.1 | 40 | 106 | 200 |
| 80LVBH12HTBJG 260 | 80 | 30 | | | | | 12.1 | 40 | 106 | 200 |
| 100LVBH12HT 260 | 100 | 32 | | | | | 12.1 | 40 | 128 | 220 |
| 100LVBH12HTBJG 260 | 100 | 32 | | | | | 12.1 | 40 | 128 | 220 |
| 125LVBH12HT 260 | 125 | 40 | | | | | 12.1 | 40 | 155 | 250 |
| 125LVBH12HTBJG 260 | 125 | 40 | | | | | 12.1 | 40 | 155 | 250 |

260°C CONSTANT (280°C SHORT PERIODS) (LVHTBJG ONLY)



INDUSTRIAL

SERIES: DRPNO

BRACKET: **PRESSED STEEL**
 WHEEL: **POLYURETHANE**
 ON **NYLON CENTRE**
 BEARING: **PLAIN**

LIGHT / MEDIUM



| DRPNO | | | | | | | | | | | | |
|---------------|-----|----|--|---------|--------|----|------|-----|-----|--|--|-----------|
| SWIVEL | | | | | | | | | | | | KG |
| 80DR4PNO | 80 | 30 | | 105x85 | 80x60 | 9 | 37.5 | 106 | 100 | | | |
| 100DR4PNO | 100 | 30 | | 105x85 | 80x60 | 9 | 40 | 128 | 150 | | | |
| 125DR4PNO | 125 | 35 | | 105x85 | 80x60 | 9 | 47 | 152 | 200 | | | |
| ★ 125DR4PNOLP | 125 | 35 | | 135x110 | 105x80 | 11 | 53 | 157 | 200 | | | |
| 150DR4PNO | 150 | 40 | | 135x105 | 105x80 | 11 | 65 | 185 | 280 | | | |
| 160DR4PNO | 160 | 38 | | 135x105 | 105x80 | 11 | 65 | 195 | 250 | | | |
| 200DR4PNO | 200 | 50 | | 135x105 | 105x80 | 11 | 68 | 237 | 350 | | | |



| DRPNO | | | | | | | | | | | | |
|---------------|-----|----|--|---------|--------|----|--|-----|-----|--|--|-----------|
| FIXED | | | | | | | | | | | | KG |
| 80DR8PNO | 80 | 30 | | 105x85 | 80x60 | 9 | | 106 | 100 | | | |
| 100DR8PNO | 100 | 30 | | 105x85 | 80x60 | 9 | | 128 | 150 | | | |
| 125DR8PNO | 125 | 35 | | 105x85 | 80x60 | 9 | | 152 | 200 | | | |
| ★ 125DR8PNOLP | 125 | 35 | | 135x110 | 105x80 | 11 | | 157 | 200 | | | |
| 150DR8PNO | 150 | 40 | | 135x105 | 105x80 | 11 | | 185 | 280 | | | |
| 160DR8PNO | 160 | 38 | | 135x105 | 105x80 | 11 | | 195 | 250 | | | |
| 200DR8PNO | 200 | 50 | | 135x105 | 105x80 | 11 | | 237 | 350 | | | |



| DRPNO | | | | | | | | | | | | |
|------------------|-----|----|--|---------|--------|----|------|-----|-----|--|--|-----------|
| BRAKED | | | | | | | | | | | | KG |
| 80DR4PNOSWB | 80 | 30 | | 105x85 | 80x60 | 9 | 37.5 | 106 | 100 | | | |
| 100DR4PNOSWB | 100 | 30 | | 105x85 | 80x60 | 9 | 40 | 128 | 150 | | | |
| 125DR4PNOSWB | 125 | 35 | | 105x85 | 80x60 | 9 | 47 | 152 | 200 | | | |
| ★ 125DR4PNOSWBLP | 125 | 35 | | 135x110 | 105x80 | 11 | 53 | 157 | 200 | | | |
| 150DR4PNOSWB | 150 | 40 | | 135x105 | 105x80 | 11 | 65 | 185 | 280 | | | |
| 160DR4PNOSWB | 160 | 38 | | 135x105 | 105x80 | 11 | 65 | 195 | 250 | | | |
| 200DR4PNOSWB | 200 | 50 | | 135x105 | 105x80 | 11 | 68 | 237 | 350 | | | |



| DRPNO | | | | | | | | | | | | |
|------------------|-----|----|--|--|--|--|------|------|-----|-----|--|-----------|
| BOLT HOLE | | | | | | | | | | | | KG |
| 80DRBH12PNO | 80 | 30 | | | | | 12.1 | 37.5 | 106 | 100 | | |
| 100DRBH12PNO | 100 | 30 | | | | | 12.1 | 40 | 128 | 150 | | |
| 125DRBH12PNO | 125 | 35 | | | | | 12.1 | 47 | 152 | 200 | | |
| 150DRBH12PNO | 150 | 40 | | | | | 12.1 | 65 | 185 | 280 | | |
| 160DRBH12PNO | 160 | 38 | | | | | 12.1 | 65 | 195 | 250 | | |
| 200DRBH12PNO | 200 | 50 | | | | | 12.1 | 68 | 237 | 350 | | |



| DRPNO | | | | | | | | | | | | |
|-------------------------|-----|----|--|--|--|--|------|------|-----|-----|--|-----------|
| BOLT HOLE BRAKED | | | | | | | | | | | | KG |
| 80DRBH12PNOSWB | 80 | 30 | | | | | 12.1 | 37.5 | 106 | 100 | | |
| 100DRBH12PNOSWB | 100 | 30 | | | | | 12.1 | 40 | 128 | 150 | | |
| 125DRBH12PNOSWB | 125 | 35 | | | | | 12.1 | 47 | 152 | 200 | | |
| 150DRBH12PNOSWB | 150 | 40 | | | | | 12.1 | 65 | 185 | 280 | | |
| 160DRBH12PNOSWB | 160 | 38 | | | | | 12.1 | 65 | 195 | 250 | | |
| 200DRBH12PNOSWB | 200 | 50 | | | | | 12.1 | 68 | 237 | 350 | | |



★ LARGE PLATE OPTION AVAILABLE



INDUSTRIAL

SERIES: DRPNR

BRACKET: **PRESSED STEEL**
 WHEEL: **POLYURETHANE**
 ON **NYLON CENTRE**
 BEARING: **ROLLER**



LIGHT / MEDIUM



| DRPNR | | | | | | | | | | |
|----------------|-----|----|--|---------|--------|----|----|-----|-----|--|
| SWIVEL | | | | | | | | | | |
| 100DR4PNRB | 100 | 34 | | 105x85 | 80x60 | 9 | 40 | 128 | 200 | |
| 125DR4PNRB | 125 | 40 | | 105x85 | 80x60 | 9 | 47 | 152 | 260 | |
| ★ 125DR4PNRBLP | 125 | 40 | | 135x110 | 105x80 | 11 | 53 | 157 | 260 | |



| DRPNR | | | | | | | | | |
|----------------|-----|----|--|---------|--------|----|--|-----|-----|
| FIXED | | | | | | | | | |
| 100DR8PNRB | 100 | 34 | | 105x85 | 80x60 | 9 | | 128 | 200 |
| 125DR8PNRB | 125 | 40 | | 105x85 | 80x60 | 9 | | 152 | 260 |
| ★ 125DR8PNRBLP | 125 | 40 | | 135x110 | 105x80 | 11 | | 157 | 260 |



| DRPNR | | | | | | | | | |
|-------------------|-----|----|--|---------|--------|----|----|-----|-----|
| BRAKED | | | | | | | | | |
| 100DR4PNRBSWB | 100 | 34 | | 105x85 | 80x60 | 9 | 40 | 128 | 200 |
| 125DR4PNRBSWB | 125 | 40 | | 105x85 | 80x60 | 9 | 47 | 152 | 260 |
| ★ 125DR4PNRBSWBLP | 125 | 40 | | 135x110 | 105x80 | 11 | 53 | 157 | 260 |



| DRPNR | | | | | | | | | |
|---------------|-----|----|--|--|--|------|----|-----|-----|
| BOLT HOLE | | | | | | | | | |
| 100DRBH12PNRB | 100 | 34 | | | | 12.1 | 40 | 128 | 200 |
| 125DRBH12PNRB | 125 | 40 | | | | 12.1 | 47 | 152 | 260 |



| DRPNR | | | | | | | | | |
|------------------|-----|----|--|--|--|------|----|-----|-----|
| BOLT HOLE BRAKED | | | | | | | | | |
| 100DRBH12PNRBSWB | 100 | 34 | | | | 12.1 | 40 | 128 | 200 |
| 125DRBH12PNRBSWB | 125 | 40 | | | | 12.1 | 47 | 152 | 260 |

EXPANDERS



★ LARGE PLATE OPTION AVAILABLE

INDUSTRIAL

SERIES: DREPN

BRACKET: **PRESSED STEEL**
 WHEEL: **ELASTIC POLYURETHANE**
 ON **NYLON CENTRE**
 BEARING: **PLAIN**



LIGHT / MEDIUM



| DREPN | SWIVEL | | | | | | | | | |
|----------------------|---------------|----|--|---------|--------|----|------|-----|-----|--|
| 80DR4EPN | 80 | 32 | | 105x85 | 80x60 | 9 | 37.5 | 106 | 100 | |
| 100DR4EPN | 100 | 32 | | 105x85 | 80x60 | 9 | 40 | 128 | 150 | |
| 125DR4EPN | 125 | 32 | | 105x85 | 80x60 | 9 | 47 | 152 | 175 | |
| ★ 125DR4EPNLP | 125 | 32 | | 135x110 | 105x80 | 11 | 53 | 157 | 175 | |
| 150DR4EPN | 150 | 42 | | 135x105 | 105x80 | 11 | 65 | 185 | 200 | |
| 200DR4EPN | 200 | 50 | | 135x105 | 105x80 | 11 | 68 | 237 | 250 | |



| DREPN | FIXED | | | | | | | | |
|----------------------|--------------|----|--|---------|--------|----|--|-----|-----|
| 80DR8EPN | 80 | 32 | | 105x85 | 80x60 | 9 | | 106 | 100 |
| 100DR8EPN | 100 | 32 | | 105x85 | 80x60 | 9 | | 128 | 150 |
| 125DR8EPN | 125 | 32 | | 105x85 | 80x60 | 9 | | 152 | 175 |
| ★ 125DR8EPNLP | 125 | 32 | | 135x110 | 105x80 | 11 | | 157 | 175 |
| 150DR8EPN | 150 | 42 | | 135x105 | 105x80 | 11 | | 185 | 200 |
| 200DR8EPN | 200 | 50 | | 135x105 | 105x80 | 11 | | 237 | 250 |



| DREPN | BRAKED | | | | | | | | |
|-------------------------|---------------|----|--|---------|--------|----|------|-----|-----|
| 80DR4EPNSWB | 80 | 32 | | 105x85 | 80x60 | 9 | 37.5 | 106 | 100 |
| 100DR4EPNSWB | 100 | 32 | | 105x85 | 80x60 | 9 | 40 | 128 | 150 |
| 125DR4EPNSWB | 125 | 32 | | 105x85 | 80x60 | 9 | 47 | 152 | 175 |
| ★ 125DR4EPNSWBLP | 125 | 32 | | 135x110 | 105x80 | 11 | 53 | 157 | 175 |
| 150DR4EPNSWB | 150 | 42 | | 135x105 | 105x80 | 11 | 65 | 185 | 200 |
| 200DR4EPNSWB | 200 | 50 | | 135x105 | 105x80 | 11 | 68 | 237 | 250 |



| DREPN | BOLT HOLE | | | | | | | | |
|---------------------|------------------|----|--|--|--|--|------|------|-----|
| 80DRBH12EPN | 80 | 32 | | | | | 12.1 | 37.5 | 106 |
| 100DRBH12EPN | 100 | 32 | | | | | 12.1 | 40 | 128 |
| 125DRBH12EPN | 125 | 32 | | | | | 12.1 | 47 | 152 |
| 150DRBH12EPN | 150 | 42 | | | | | 12.1 | 65 | 185 |
| 200DRBH12EPN | 200 | 50 | | | | | 12.1 | 68 | 237 |



| DREPN | BOLT HOLE BRAKED | | | | | | | | |
|------------------------|-------------------------|----|--|--|--|--|------|------|-----|
| 80DRBH12EPNSWB | 80 | 32 | | | | | 12.1 | 37.5 | 106 |
| 100DRBH12EPNSWB | 100 | 32 | | | | | 12.1 | 40 | 128 |
| 125DRBH12EPNSWB | 125 | 32 | | | | | 12.1 | 47 | 152 |
| 150DRBH12EPNSWB | 150 | 42 | | | | | 12.1 | 65 | 185 |
| 200DRBH12EPNSWB | 200 | 50 | | | | | 12.1 | 68 | 237 |



★ LARGE PLATE OPTION AVAILABLE

INDUSTRIAL

SERIES: DRPN

BRACKET: **PRESSED STEEL**
 WHEEL: **POLYURETHANE**
 ON **NYLON CENTRE**
 BEARING: **BALL BEARING**



LIGHT / MEDIUM



| DRPN | | | | | | | | | | |
|----------------|-----|----|--|---------|--------|----|----|-----|-----|--|
| SWIVEL | | | | | | | | | | |
| 100DR4PNBJ | 100 | 38 | | 105x85 | 80x60 | 9 | 40 | 128 | 220 | |
| 125DR4PNBJ | 125 | 38 | | 105x85 | 80x60 | 9 | 47 | 152 | 270 | |
| ★ 125DR4PNBJLP | 125 | 38 | | 135x110 | 105x80 | 11 | 53 | 157 | 280 | |
| 150DR4PNBJ | 150 | 50 | | 135x105 | 105x80 | 11 | 65 | 185 | 350 | |
| 200DR4PNBJ | 200 | 50 | | 135x105 | 105x80 | 11 | 68 | 237 | 350 | |



| DRPN | | | | | | | | | |
|----------------|-----|----|--|---------|--------|----|--|-----|-----|
| FIXED | | | | | | | | | |
| 100DR8PNBJ | 100 | 38 | | 105x85 | 80x60 | 9 | | 128 | 220 |
| 125DR8PNBJ | 125 | 38 | | 105x85 | 80x60 | 9 | | 152 | 270 |
| ★ 125DR8PNBJLP | 125 | 38 | | 135x110 | 105x80 | 11 | | 157 | 280 |
| 150DR8PNBJ | 150 | 50 | | 135x105 | 105x80 | 11 | | 185 | 350 |
| 200DR8PNBJ | 200 | 50 | | 135x105 | 105x80 | 11 | | 237 | 350 |



| DRPN | | | | | | | | | |
|-------------------|-----|----|--|---------|--------|----|----|-----|-----|
| BRAKED | | | | | | | | | |
| 100DR4PNBJSWB | 100 | 38 | | 105x85 | 80x60 | 9 | 40 | 128 | 220 |
| 125DR4PNBJSWB | 125 | 38 | | 105x85 | 80x60 | 9 | 47 | 152 | 270 |
| ★ 125DR4PNBJSWBLP | 125 | 38 | | 135x110 | 105x80 | 11 | 53 | 157 | 280 |
| 150DR4PNBJSWB | 150 | 50 | | 135x105 | 105x80 | 11 | 65 | 185 | 350 |
| 200DR4PNBJSWB | 200 | 50 | | 135x105 | 105x80 | 11 | 68 | 237 | 350 |



| DRPN | | | | | | | | | |
|------------------|-----|----|--|--|--|--|------|----|-----|
| BOLT HOLE | | | | | | | | | |
| 100DRBH12PNBJ | 100 | 38 | | | | | 12.1 | 40 | 128 |
| 125DRBH12PNBJ | 125 | 38 | | | | | 12.1 | 47 | 152 |
| 150DRBH12PNBJ | 150 | 50 | | | | | 12.1 | 65 | 185 |
| 200DRBH12PNBJ | 200 | 50 | | | | | 12.1 | 68 | 237 |



| DRPN | | | | | | | | | |
|-------------------------|-----|----|--|--|--|--|------|----|-----|
| BOLT HOLE BRAKED | | | | | | | | | |
| 100DRBH12PNBJSWB | 100 | 38 | | | | | 12.1 | 40 | 128 |
| 125DRBH12PNBJSWB | 125 | 35 | | | | | 12.1 | 47 | 152 |
| 150DRBH12PNBJSWB | 150 | 50 | | | | | 12.1 | 65 | 185 |
| 200DRBH12PNBJSWB | 200 | 50 | | | | | 12.1 | 68 | 237 |



★ LARGE PLATE OPTION AVAILABLE

INDUSTRIAL

SERIES: DRPX

BRACKET: **PRESSED STEEL**
 WHEEL: **POLYURETHANE**
 ON **NYLON CENTRE**
 BEARING: **BALL BEARING**



LIGHT / MEDIUM



| DRPX SWIVEL | | | | | | | | | |
|-----------------------|-----|----|--|---------|--------|----|----|-----|-----|
| 150DR4PXBJ | 150 | 50 | | 135x105 | 105x80 | 11 | 65 | 185 | 350 |
| 200DR4PXBJ | 200 | 50 | | 135x105 | 105x80 | 11 | 68 | 237 | 350 |



| DRPX FIXED | | | | | | | | | |
|----------------------|-----|----|--|---------|--------|----|--|-----|-----|
| 150DR8PXBJ | 150 | 50 | | 135x105 | 105x80 | 11 | | 185 | 350 |
| 200DR8PXBJ | 200 | 50 | | 135x105 | 105x80 | 11 | | 237 | 350 |



| DRPX BRAKED | | | | | | | | | |
|-----------------------|-----|----|--|---------|--------|----|----|-----|-----|
| 150DR4PXBJSWB | 150 | 50 | | 135x105 | 105x80 | 11 | 65 | 185 | 350 |
| 200DR4PXBJSWB | 200 | 50 | | 135x105 | 105x80 | 11 | 68 | 237 | 350 |



| DRPX BOLT HOLE | | | | | | | | | |
|--------------------------|-----|----|--|--|--|------|----|-----|-----|
| 150DRBH12PXBJ | 150 | 50 | | | | 12.1 | 65 | 185 | 350 |
| 200DRBH12PXBJ | 200 | 50 | | | | 12.1 | 68 | 237 | 350 |



| DRPX BOLT HOLE BRAKED | | | | | | | | | |
|------------------------------------|-----|----|--|--|--|------|----|-----|-----|
| 150DRBH12PXBJSWB | 150 | 50 | | | | 12.1 | 65 | 185 | 350 |
| 200DRBH12PXBJSWB | 200 | 50 | | | | 12.1 | 68 | 237 | 350 |



INDUSTRIAL

SERIES: DROPU

BRACKET: **PRESSED STEEL**
 WHEEL: **POLYURETHANE**
 ON **NYLON CENTRE**
 BEARING: **BALL BEARING**



LIGHT / MEDIUM



| DROPU SWIVEL | | | | | | | | | |
|------------------------|-----|----|--|---------|--------|----|----|-----|-----|
| 150DR40PUBJ | 100 | 50 | | 135x105 | 105x80 | 11 | 65 | 185 | 300 |
| 200DR40PUBJ | 200 | 50 | | 135x105 | 105x80 | 11 | 68 | 237 | 350 |



| DROPU FIXED | | | | | | | | | |
|-----------------------|-----|----|--|---------|--------|----|--|-----|-----|
| 150DR80PUBJ | 150 | 50 | | 135x105 | 105x80 | 11 | | 185 | 300 |
| 200DR80PUBJ | 200 | 50 | | 135x105 | 105x80 | 11 | | 237 | 350 |



| DROPU BRAKED | | | | | | | | | |
|------------------------|-----|----|--|---------|--------|----|----|-----|-----|
| 150DR40PUBJSWB | 150 | 50 | | 135x105 | 105x80 | 11 | 65 | 185 | 300 |
| 200DR40PUBJSWB | 200 | 50 | | 135x105 | 105x80 | 11 | 68 | 237 | 350 |



| DROPU BOLT HOLE | | | | | | | | | |
|---------------------------|-----|----|--|--|--|------|----|-----|-----|
| 150DRBH120PUBJ | 150 | 50 | | | | 12.1 | 65 | 185 | 300 |
| 200DRBH120PUBJ | 200 | 50 | | | | 12.1 | 68 | 237 | 350 |



| DROPU BOLT HOLE BRAKED | | | | | | | | | |
|-------------------------------------|-----|----|--|--|--|------|----|-----|-----|
| 150DRBH120PUBJSWB | 150 | 50 | | | | 12.1 | 65 | 185 | 300 |
| 200DRBH120PUBJSWB | 200 | 50 | | | | 12.1 | 68 | 237 | 350 |

EXPANDERS



INDUSTRIAL

SERIES: DRPT

BRACKET: **PRESSED STEEL**
 WHEEL: **POLYURETHANE**
 ON **CAST IRON** CENTRE
 BEARING: **BALL BEARING**



LIGHT / MEDIUM



| DRPT SWIVEL | | | | | | | | | | |
|-----------------------|-----|----|--|---------|--------|----|----|-----|-----|--|
| 100DR4PTBJ | 100 | 38 | | 105x85 | 80x60 | 9 | 40 | 128 | 220 | |
| 125DR4PTBJ | 125 | 38 | | 105x85 | 80x60 | 9 | 47 | 152 | 270 | |
| ★ 125DR4PTBJLP | 125 | 38 | | 135x110 | 105x80 | 12 | 38 | 157 | 450 | |
| 150DR4PTBJ | 150 | 50 | | 135x105 | 105x80 | 11 | 65 | 185 | 350 | |
| 200DR4PTBJ | 200 | 50 | | 135x105 | 105x80 | 11 | 68 | 237 | 350 | |



| DRPT FIXED | | | | | | | | | | |
|----------------------|-----|----|--|---------|--------|----|--|-----|-----|--|
| 100DR8PTBJ | 100 | 38 | | 105x85 | 80x60 | 9 | | 128 | 220 | |
| 125DR8PTBJ | 125 | 38 | | 105x85 | 80x60 | 9 | | 152 | 270 | |
| ★ 125DR8PTBJLP | 125 | 38 | | 135x110 | 105x80 | 12 | | 157 | 450 | |
| 150DR8PTBJ | 150 | 50 | | 135x105 | 105x80 | 11 | | 185 | 350 | |
| 200DR8PTBJ | 200 | 50 | | 135x105 | 105x80 | 11 | | 237 | 350 | |



| DRPT BRAKED | | | | | | | | | | |
|-----------------------|-----|----|--|---------|--------|----|----|-----|-----|--|
| 100DR4PTBJSWB | 100 | 38 | | 105x85 | 80x60 | 9 | 40 | 128 | 220 | |
| 125DR4PTBJSWB | 125 | 38 | | 105x85 | 80x60 | 9 | 47 | 152 | 270 | |
| ★ 125DR4PTBJSWBLP | 125 | 38 | | 135x110 | 105x80 | 12 | 38 | 157 | 450 | |
| 150DR4PTBJSWB | 150 | 50 | | 135x105 | 105x80 | 11 | 65 | 185 | 350 | |
| 200DR4PTBJSWB | 200 | 50 | | 135x105 | 105x80 | 11 | 68 | 237 | 350 | |



| DRPT BOLT HOLE | | | | | | | | | | |
|--------------------------|-----|----|--|--|--|--|------|----|-----|-----|
| 100DRBH12PTBJ | 100 | 38 | | | | | 12.1 | 40 | 128 | 220 |
| 125DRBH12PTBJ | 125 | 38 | | | | | 12.1 | 47 | 152 | 270 |
| 150DRBH12PTBJ | 150 | 50 | | | | | 12.1 | 65 | 185 | 350 |
| 200DRBH12PTBJ | 200 | 50 | | | | | 12.1 | 68 | 237 | 350 |



| DRPT BOLT HOLE BRAKED | | | | | | | | | | |
|------------------------------------|-----|----|--|--|--|--|------|----|-----|-----|
| 100DRBH12PTBJSWB | 100 | 38 | | | | | 12.1 | 40 | 128 | 220 |
| 125DRBH12PTBJSWB | 125 | 38 | | | | | 12.1 | 47 | 152 | 270 |
| 150DRBH12PTBJSWB | 150 | 50 | | | | | 12.1 | 65 | 185 | 350 |
| 200DRBH12PTBJSWB | 200 | 50 | | | | | 12.1 | 68 | 237 | 350 |

EXPANDERS



★ LARGE PLATE OPTION AVAILABLE

INDUSTRIAL

SERIES: DRPTA

BRACKET: **PRESSED STEEL**
 WHEEL: **POLYURETHANE ON ALUMINIUM CENTRE**
 BEARING: **BALL BEARING**



LIGHT / MEDIUM



| DRPTA SWIVEL | | | | | | | | | | |
|-------------------------------|-----|----|--|---------|--------|----|------|-----|-----|-----|
| 80DR4PTABJ | 80 | 30 | | 105x85 | 80x60 | 9 | 37.5 | 106 | 180 | 180 |
| 100DR4PTABJ | 100 | 40 | | 105x85 | 80x60 | 9 | 40 | 128 | 220 | 220 |
| 125DR4PTABJ | 125 | 40 | | 105x85 | 80x60 | 9 | 47 | 152 | 270 | 270 |
| 150DR4PTABJ | 150 | 50 | | 135x105 | 105x80 | 11 | 65 | 185 | 350 | 350 |
| 160DR4PTABJ | 160 | 50 | | 135x105 | 105x80 | 11 | 65 | 190 | 350 | 350 |
| 200DR4PTABJ | 200 | 50 | | 135x105 | 105x80 | 11 | 68 | 237 | 350 | 350 |



| DRPTA FIXED | | | | | | | | | |
|------------------------------|-----|----|--|---------|--------|----|--|-----|-----|
| 80DR8PTABJ | 80 | 30 | | 105x85 | 80x60 | 9 | | 106 | 180 |
| 100DR8PTABJ | 100 | 40 | | 105x85 | 80x60 | 9 | | 128 | 220 |
| 125DR8PTABJ | 125 | 40 | | 105x85 | 80x60 | 9 | | 152 | 270 |
| 150DR8PTABJ | 150 | 50 | | 135x105 | 105x80 | 11 | | 185 | 350 |
| 160DR8PTABJ | 160 | 50 | | 135x105 | 105x80 | 11 | | 190 | 350 |
| 200DR8PTABJ | 200 | 50 | | 135x105 | 105x80 | 11 | | 237 | 350 |



| DRPTA BRAKED | | | | | | | | | |
|-------------------------------|-----|----|--|---------|--------|----|------|-----|-----|
| 80DR4PTABJSWB | 80 | 30 | | 105x85 | 80x60 | 9 | 37.5 | 106 | 180 |
| 100DR4PTABJSWB | 100 | 40 | | 105x85 | 80x60 | 9 | 40 | 128 | 220 |
| 125DR4PTABJSWB | 125 | 40 | | 105x85 | 80x60 | 9 | 47 | 152 | 270 |
| 150DR4PTABJSWB | 150 | 50 | | 135x105 | 105x80 | 11 | 65 | 185 | 350 |
| 160DR4PTABJSWB | 160 | 50 | | 135x105 | 105x80 | 11 | 65 | 190 | 350 |
| 200DR4PTABJSWB | 200 | 50 | | 135x105 | 105x80 | 11 | 68 | 237 | 350 |



| DRPTA BOLT HOLE | | | | | | | | | |
|----------------------------------|-----|----|--|--|--|------|------|-----|-----|
| 80DRBH12PTABJ | 80 | 30 | | | | 12.1 | 37.5 | 106 | 180 |
| 100DRBH12PTABJ | 100 | 40 | | | | 12.1 | 40 | 128 | 220 |
| 125DRBH12PTABJ | 125 | 40 | | | | 12.1 | 47 | 152 | 270 |
| 150DRBH12PTABJ | 150 | 50 | | | | 12.1 | 65 | 185 | 350 |
| 160DRBH12PTABJ | 160 | 50 | | | | 12.1 | 65 | 190 | 350 |
| 200DRBH12PTABJ | 200 | 50 | | | | 12.1 | 68 | 237 | 350 |



| DRPTA BOLT HOLE BRAKED | | | | | | | | | |
|---|-----|----|--|--|--|------|------|-----|-----|
| 80DRBH12PTABJSWB | 80 | 30 | | | | 12.1 | 37.5 | 106 | 180 |
| 100DRBH12PTABJSWB | 100 | 40 | | | | 12.1 | 40 | 128 | 220 |
| 125DRBH12PTABJSWB | 125 | 40 | | | | 12.1 | 47 | 152 | 270 |
| 150DRBH12PTABJSWB | 150 | 50 | | | | 12.1 | 65 | 185 | 350 |
| 160DRBH12PTABJSWB | 160 | 50 | | | | 12.1 | 65 | 190 | 350 |
| 200DRBH12PTABJSWB | 200 | 50 | | | | 12.1 | 68 | 237 | 350 |

